	1			1		
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2339	select\$3 adj input\$1 with select\$3 adj output\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:02
S2	46	S1 same (audio conference\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:46
83	0	S1 same ("audio conference")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:49
S4	1	("20030059066").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/01 12:42
S5	0	S1 same wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:48
S6	44	S1 same panel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:45
S7	37	S6 not S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:45
S8	4166	select\$3 adj input\$1 same select\$3 adj output\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:47

			-			
S9	0	S8 same wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:48
S10	0	S8 same ("audio conference")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:49
S11	42	S1 same (audio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:50
S12	35	S11 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:50
S13	0	S12 not S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:50
S14	86	S8 same (audio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:50
S15	79	S14 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:52

S16	44	S14 not S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:50
S17	0	S16 not S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:52
S18	35	S15 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:55
S19	379	(715/763).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:55
S20	1	S1 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:57
S21	3	S8 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 12:57
S22	4	input\$1 with output\$1 with wizard with map\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:04

			_			
S23	4	input\$1 with output\$1 with wizard with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:04
S24	19698	input\$1 with output\$1 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 16:40
S25	11	S24 same wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:30
S26	1126	((715/716) or (715/719) or (715/727)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:31
S27	0	S1 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:31
S28	1	S8 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:31
S29	13	S24 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:45

\$30	453	(381/119).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:45
S31	8	S8 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:45
S32	8	S1 same (mixer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/01 13:47
\$33	8	("20030059066" "5390138" "5687334" "64 21692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 16:09
S34	21564	input\$1 with output\$1 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 17:23
\$35	4	S34 with wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 17:17
\$36	497	S34 with load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 16:54

\$37	37	S36 with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 16:54
S38	11	S34 same wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 17:17
S39	89	input\$1 with output\$1 with wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 09:16
S40	11	S39 same (load\$3 upload\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 17:24
S41	1	("5465325").PN.	USPAT	OR	OFF	2007/11/23 17:43
S42	19	wizard\$1 with upload\$3 with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:20
S43	29	wizard\$1 with load\$3 with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:42
S44	765	wizard\$1 with automatical\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:52

			-			
S45	6	S44 with initializ\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:32
S46	434	wizard\$1 near4 automatical\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:34
S47	24	wizard\$1 with automatical\$3 with map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:35
S48	18	wizard\$1 with transfer\$5 with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:50
S49	4	wizard\$1 with transfer\$5 with map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 09:50
S50	85	wizard\$1 with initializ\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:07
S51	21272	("set up" "set-up" (set adj up) (setting up) setup) same input same output same parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:23

S52	798	S51 same audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:15
S53	30	S52 same map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:22
S54	21272	(("set up") ("set-up") (set adj up) (setting up) (setup)) same input same output same parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:14
S55	798	S54 same audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:15
S56	1444	audio near3 conferenc\$4 near4 (device\$1 system\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:23
S57	7237930	("set up" "set-up" (set near1 up) (setting up) setup) wizard\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:24
S58	34	S56 with S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 10:24

S59	11559	wizard\$1	US-PGPUB;	OR	ON	2008/03/29 13:39
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S60	1834774	input with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 13:40
S61	245286	S60 with select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 13:40
S62	75	S59 same S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 13:41
S63	91021	(select\$5 near4 input) same (select\$5 near4 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 16:26
S64	5416	(wizard setup set-up "set up") with audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 16:27
S65	20	S63 same S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 16:27
S66	7	(("6275805") or ("6342903") or ("6492999") or ("6504553") or ("6674451") or ("20010026623") or ("20020180772")). PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 20:24

S67	4	"6275805".uref.	USPAT	OR	OFF	2008/03/29 20:30
S68	1	("6342903").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 20:43
S70	6	(("5812882") or ("5819225") or ("5850627") or ("5974382") or ("6009519") or ("6192339")).PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 21:14
S71	1	("5974382").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 21:33
S76	1	("6342601").PN.	USPAT	OR	OFF	2008/03/29 21:42
S77	1	("6342901").PN.	USPAT	OR	OFF	2008/03/29 21:42
S78	1	("5974382").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:05
S79	169	audio near2 conferenc\$4 near2 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 22:13
\$80	3	(wizard setup set-up "set up") with S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 22:15
S81	175	audio near2 conferenc\$4 near2 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 22:19
\$82	3	(wizard setup set-up "set up") with S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 22:19
S83	1	("20030059066").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:20
S84	3	(("5390138") or ("5687334") or ("6421692")).PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:21
S85	1	("5687334").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:42
S86	329824	optimiz\$5	USPAT	OR	OFF	2008/03/29 22:42
S87	14	S81 and S86	USPAT	OR	OFF	2008/03/29 22:42

			-			
S89	7	(("6275805") or ("6342903") or ("6492999") or ("6504553") or ("6674451") or ("20010026623") or ("20020180772")). PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:43
S96	3	(("5812882") or ("5819225") or ("5850627")).PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:51
S97	3	(("5974382") or ("6009519") or ("6192339")).PN.	US-PGPUB; USPAT	OR	OFF	2008/03/29 22:52
S98	175	audio near2 conferenc\$4 near2 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 23:00
S99	4	(wizard setup set-up "set up") same S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 23:00
S10 0	3833	audio near2 conferenc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/29 23:04
S10 1	222	(wizard setup set-up "set up") same S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 23:04
S10 2	5	S101 same (input near5 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 23:05
S10 3	152	S100 same (input near5 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/29 23:09

S10 4	457	(715/763). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 05:54
S10 5	22556	input\$1 with output\$1 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 05:55
S10 6	724217	(wizard setup set-up "set up")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 05:56
S10 7	285	S105 same S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 05:57
S10 8	2	S104 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 05:57
S10 9	17	S104 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/30 06:01
S11 0	742494	set-up setup "set up"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:05

S11 1	2214011	input same output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:06
S11 2	42050	S110 same S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:06
S11 3	10	S112 same wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:07
S11 4	71103	(interface screen) with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:10
S11 5	90	S112 same S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:11
S11 6	645	polycom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:12
S11 7	352	S116 and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:12

S11 8	154	S117 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:12
S11 9	525546	S111 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:47
S12 0	10927	S119 same S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:48
S12 1	10	S111 and S113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:48
S12 2	5292	S111 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:48
S12 3	208	S112 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:49
S12 4	10927	S112 same select\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:38

S12 5	157	S124 same optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:38
S12 6	627	S112 same optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:43
S12 7	32	S126 same audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:44
S12 8	7232	S110 with map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:51
S12 9	16465	S110 same map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:51
S13 0	318	S129 same optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:51
S13 1	40	S130 same parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:51

S13 2	1148	wizard with configu\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:57
S13 3	240	(input output) same S132	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 17:58
S13 4	744	select\$5 with input with output with optimiZ\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:02
S13 5	744	select\$5 with input with output with optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:02
S13 6	497	(715/763).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 06:02
S13 7	0	S135 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 06:03
S13 8	1	S135 same wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:03

			•			
S13 9	18	S135 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:03
S14 0	3	("set up" "set-up" (set\$4 adj up) setup) same S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:05
S14 1	8528	input with output with optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:07
S14 2	0	S141 and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 06:08
S14 3	71	S141 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:08
S14 4	5	S141 same wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 06:08
S14 5	1636	((715/716) or (715/719) or (715/727)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:23

S14 6	697	((715/763) or (715/967)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:25
S14 7	2720	select\$3 adj input\$1 with select\$3 adj output\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:26
S14 8	49	S147 same (audio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:26
S14 9	8	S147 and (S145 or S146)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:27
S15 0	25714	input\$1 with output\$1 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:27
S15 1	49	S150 and (S145 or S146)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:27
S15 2	25714	input\$1 with output\$1 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:28

S15 3	603	S152 with load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:28
S15 4	40	S153 with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:28
S15 5	9207	input with output with optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:28
S15 6	72	S155 and wizard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:28
S15 7	771695	set-up setup "set up"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:29
S15 8	2309118	input same output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:29
S15 9	43424	S157 same S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:29

S16 0	674	S159 same optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:29
S16 1	32	S160 same audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:29
S16 2	204	audio near2 conferenc\$4 near2 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/24 15:29
S16 3	17584	S157 same map\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:32
S16 4	338	S163 same optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:32
S16 5	42	S164 same parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:32
S16 6	1242	wizard with configu\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:34

\$16 7	263	(input output) same S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:34
S16 8	4	S167 and (audio.ab. or audio.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:35
S16 9	8	(audio and input and output and map\$4 and conferenc\$3 and automatically).clm.	US-PGPUB; USPAT	OR	ON	2009/03/24 15:48

3/28/09 8:07:35 AM Page 21